

**PORKKA**

HOTEL, RESTAURANT AND CATERING  
Refrigeration Food Holding Equipment

# Pricelist, DD Danish Drawers

---

## Refrigeration Food Holding Equipment



# Counters for food and beverage

## Counter refrigerators

### 650-series for beverages

---

Porkka 'Cold Line' beverage counters are ideal for serving and storing drinks at optimum serving temperature.

Manufactured from quality components they are durable and long lasting, naturally, the counters are supplied ready for the usage and benefit from stainless steel bodies both internally and externally.

The counters for beverages are lockable with central locking system and the base is supplied with legs, shelving is included with each door section.

The equipment also benefits from innovative design features such as pull out refrigeration cassettes for simple maintenance or repair.

#### Features

- Environmental friendly and energy efficient refrigerant R290
- Digital temperature display with built-in microprocessor controller
- Recording of max./min. temperature
- Visual high/low temperature alarm
- Probe failure alarm
- Blocked condenser / high ambient temperature alarm
- Exterior / Interior finish in stainless steel
- Insulation with high density HFC-free polyurethane
- The module has 2 drawers, magnetic gasket and boxes with a stainless steel base
- Slide-in/out refrigeration cassette (by hand) for easy servicing with 1 drawer incl. magnetic gasket
- Efficient and energy saving, hermetic air cooled HFC-free refrigerant system
- Built-in washable condenser air filter
- Stainless steel legs, height adjustable (-5mm to +65 mm)
- Central locking system
- Electrical supply 230V/50Hz

#### Optional features

- Also available for connection to a central cooling refrigeration system
- Module door with magnetic gasket and heavy-duty hinges
- Extra shelves as required
- Castors in place of the legs, the user's side castors are lockable
- Shorter, adjustable stainless steel legs for a counter height of 825 mm
- Heat treated wooden packaging

# Counter refrigerators 650-series for beverages

DD

## CL-DD-2-CDE (+2...+15 °C)

Exterior dimensions 940 x 650 x 900 mm (width x depth x height)  
Package size 900 dm<sup>3</sup>  
Connection power 0,25 kW / 230 V

## CL-DD-2-CDE-2 (+2...+15 °C)

Exterior dimensions 1400 x 650 x 900 mm (width x depth x height)  
Package size 1300 dm<sup>3</sup>  
Connection power 0,25 kW / 230 V

## CL-DD-2-CDE-2-2 (+2...+15 °C)

Exterior dimensions 1860 x 650 x 900 mm (width x depth x height)  
Package size 1600 dm<sup>3</sup>  
Connection power 0,25 kW / 230 V

## CL-DD-2-2-CDE-2-2 (+2...+15 °C)

Exterior dimensions 2320 x 650 x 900 mm (width x depth x height)  
Package size 2000 dm<sup>3</sup>  
Connection power 0,25 kW / 230 V



CL-DD-2-CDE-2

### Module options for DD:

Module 1, Door

Module CE, Refrigeration unit

# PORKKA

Porkka Finland Oy is an internationally renowned designer and manufacturer of professional refrigeration solutions. The main areas of activity are HoReCa, medical and research and marine. Porkka is part of the Finnish Festivo-Porkka Group.

The Porkka brand is known for its quality and reliability - the long life cycle of the products, high quality and technical know-how. Porkka's success is based on decades of experience, customer-centric design and continuous product development. The materials used in Porkka products are as recyclable and environmentally friendly as possible. The recyclability of our products is over 95%.



Porkka's solutions are designed and manufactured in accordance with the quality standard ISO 9001: 2015. Porkka's quality system has been certified by Lloyd's Register. Porkka also has an environmental certificate ISO 14001: 2015 issued by LRQA.

We reserve the right to make changes without prior notice.