

MAR 129 **EcoX**

Modular Ice Machine 1000 kg

Item #:
Project:
Quantity:



FEATURES

- Daily production up to 1000 Kg in 24 hr (ø 2 mm. ice thickness only).
- Scale ice machine, in "split system" version; evaporator only.
- Storage bin not supplied, to be purchased separately.
- To be connected to condensing unit or central cooling system (low temperature).
- AISI304 Stainless steel evaporator and ice scraper blade. Redesigned evaporator compartment end-walls.
- Foodgrade ABS plastic water sump tray, easy remove for cleaning and sanitising. Electromechanical control panel.
- Low- water sensor protection. Storage bin thermostatic ice level sensor. Drive motor / gear reducer with V-Belt drive.
- Supplied w/ electronic expansion valve, pressure regulating valve (KVR), liquid line safety valve 60bar, suction line safety valve 30bar.



MAR 129
Scale ice
Residual water content 2%
Thickness 1 or 2 mm

CONDENSING SYSTEM

SPLIT

REFRIGERANT GAS

R744

VOLTAGE V/Hz/ph

400/50/3N

RECOMMENDED BINS

Head	Bins		kg
MAR 129	●	UBH1100	553
	●	UBH1600	812
	●	UBH2250	1068
	●	SIS700	318 + 73
	●	SIS1350	613 + 73 + 73

LEGEND:

- ✓ : Perfect combination between ice maker and bin
- : Ice chute cut-out performed upon installation
- CBTxxxxxxxx : need additional bin top

CERTIFICATIONS



OPERATING REQUIREMENTS

	Minimum	Maximum
Air temperature	10	43
Water temperature	5	38
Water pressure	1 bar (14 psi)	5 bar (70 psi)
Electrical voltage	-10	+10

IMPORTANT NOTICE:
Models and specifications are subject to change without notice.
This spec sheet is meant for commercial purpose only.
For technical documentation please refer to our service manuals.

Download our free **App Scotsman Ice**
Apple store
Google play
Windows store



www.scotsman-ice.it
www.scotsman-ice.com

Modular Ice Machine 1000 kg

MAR 129




Scotsman
Ice Systems

Modular Ice Machine 1000 kg

Item #:
Project:
Quantity:

Modular Ice Machine 1000 kg



UNIT DATA		SHIPPING DATA	
Size (W x D x H)	906 x 813 x 520 mm	Carton (W x D x H)	980 x 740 x 680 mm
Net weight	95 kg	Weight	112 kg

Version	Voltage	24 h ice production kg °C Amb. / °C Water						Energy consumption (*)		Water usage (*)	Instant power	Compressor	Circuit wires	Max. fuse size
		10°C/10°C		21°C/10°C		32°C/21°C		kWh/100 kg	kWh/24h	l/h	W	W	No. x Ømm ²	A
MAR 129 SPLIT	400/50/3N	n.a.	1000	n.a.	1000	n.a.	760	0.6	4.5	32.1	200	5500	5 x 2.0	10

(*) Data refer to 32°C Amb. / 21°C Water temperature conditions