EC 207 XSafe Eco

Self Contained Ice Machine 145 kg



Item #:
Project:
Quantity:



FEATURES

- Produces individual Gourmet crystal clear supercubes.
- Resistant stainless steel exterior.
- Front panel in and out airflow (air cooled model only) for built-in installation
- Front access condenser air filter, removable and washable (air cooled model only).
- Easily accessible front ON-OFF switch. Routine maintenance visible alarm light on front panel.
- Ergonomically designed ice storage access, with disappearing door. Door-closing movement dampening system.
- PWD Progressive Water Discharge: pumps excess residual water up to a distance of 15 meters.
- XSafe: natural sanitation system, integrated inside the ice maker and operating automatically 24/7 to keep equipment clean & safe.



EC M 207 **Medium Gourmet** 20 g Ø 30 x H 34 mm CONDENSING SYSTEM

Air cooled

REFRIGERANT GAS

D 2 0 0

R290

VOLTAGE V/Hz/ph

230/50/1

INTERNAL BIN CAPACITY

50 kg

CERTIFICATIONS







OPERATING REQUIREMENTS

	Minimum Maximum		
Air temperature	10	43	
	-		
Water temperature	5	38	
Water pressure	1 bar (14 psi)	5 bar (70 psi)	
Electrical voltage	-10%	+10%	

IMPORTANT NOTICE:

agion

Models and specifications are subject to change without notice. This spec sheet is meant for commercial purpose only. For technical documentation please refer to our service manuals.


www.scotsman-ice.it www.scotsman-ice.com

EC 207 XSafe Eco

Scotsman® Ice Systems

Self Contained Ice Machine 145 kg

Item #:
Project:
Quantity:



Size (W x D x H) 1250 x 622 x 809 mm			n (Carton (W x D x H) 1320 x 690 x 960 mm							
Net weight	t weight 84 kg			Weight	97 kg						
24 h ice production kg °C Amb. / °C Water				1	ergy ption (*)	Water usage (*)	Instant power	Compressor	Circuit wires	Max. fuse size	
Version	Voltage	10°C/10°C kg	21°C/10°C kg	32°C/21°C kg	kWh/ 100 ka	kWh/ 24h	l/h	w	w	No. x Ømm²	A
ECM 207 AS	230/50/1	145	150	115	19.3	22.2	18	1170	1536	3 x 1.5	10

^(*) Data refer to 32°C Amb. / 21°C Water temperature conditions